

Work Order ID 144917

Wednesday, April 27, 2016 1:35:00 PM

144917

Page 1

Item ID: D3572-041 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Guide
 Start Date: 4/28/2016 Start Qty: 2.00 ***2*** Cust Item ID:
 Required Date: 5/9/2016 Req'd Qty: 2.00 ***2*** Customer:
 Reference:

Approvals: Process Plan: em SU Date: 16/04/27 Tooling: _____ Date: _____
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____
 Run Start ***NR1***
 Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
D3572	Rev D

100	Pick Kit	0.00							
100									
Packaging	Memo	0.00							
Packaging									

110	Small Fab	0.00							
110									
Small Fab	Memo	0.48							
Small Fab	1-Cut Tube D3572-1 as per Dwg D3572 2-deburr both ends								

120	QC5- Inspect part completeness to step on W/O	0.00							
120									
QC	Memo	0.04							
Quality Control									

2 FF MAY 05 2016
 (2) 38 MAY 05 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QS1042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐							
		OTHER : _____							

Work Order ID 144917***144917***

Page 2

Wednesday, April 27, 2016 1:35:00 PM

Item ID: D3572-041 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Guide
Start Date: 4/28/2016 Start Qty: 2.00 ***2*** Cust Item ID:
Required Date: 5/9/2016 Req'd Qty: 2.00 ***2*** Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130 *130* Large Fab	Weld per dwg A/R Aluminum rod Batch: <u>1129399</u> Large Fab	0.00				<u>7</u>	<u>16-5-9</u>		
	Memo	1.06							
	1-Weld D3572-3 guides and D3572-5 bracket as per Dwg D3572 2- grind weld flush at the end of tube only								
140 *140* QC	QC9- Inspect visual per QSI004- Fusion Welds	0.00				<u>(2)</u>	<u>16-05-05</u>		DAS 9 9-89
Quality Control	Memo	0.00							
150 *150* QC	QC5- Inspect part completeness to step on W/O	0.00				<u>(2)</u>	<u>16-05-05</u>		DAS 9 9-89
Quality Control	Memo	0.04							

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QS1042) Approval 		
Description Work Order Deviation				Disposition					
								Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	

Root Cause				FAULT CATEGORY			
Environment	☐	No Re-verification	☐	Pressure/Forced	☐	Temperature/Cure	☐
Design	☐	Operator	☐	Bending	☐	Set-up	☐
Doc/Data	☐	Offset/Setup	☐	Centre Not Concentric	☐	BOM/Route	☐
Equip/Tooling	☐	Supplier	☐	Cracks	☐	Broken/Damage/Defect	☐
Handling/Pre	☐	Training	☐	Crimp/Kink/Ripple/Wave	☐	Inspection Incomplete/Unqualified	☐
Material	☐	Use for Testing	☐	Cuffs	☐	Contamination	☐
Internal Transport	☐	Poor Information	☐	Crushing	☐	Countersink	☐
Tribal Knowledge	☐	Rushing	☐	Heat Treat	☐	Cut Too Short	☐
LOA	☐	Product Improvement	☐	Wave/Twist in Tube	☐	Instructions Incomplete/Unclear	☐
Substation	☐	Process Improvement	☐	Marks/Chatter	☐	Drill Holes	☐
Past Expiry Date	☐	Manufacturing Process	☐	OTHER : _____			
Misidentified	☐	Past Due	☐				

Work Order ID 144917

Wednesday, April 27, 2016 1:35:00 PM

144917

Page 3

Item ID: D3572-041 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Guide
 Start Date: 4/28/2016 Start Qty: 2.00 ***2*** Cust Item ID:
 Required Date: 5/9/2016 Req'd Qty: 2.00 ***2*** Customer:
 Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

180	Chemical Conversion Coat per QSI005 4.1	0.00							
-----	---	------	--	--	--	--	--	--	--

180

HandFinish

Hand Finishing

Memo

0.16

2x of 16/05/16

190

190

Powdercoat

Powder Coating

Outsource

powder coat
 Grey Sandtex(Ref:4.3.5.6) per QSI005 4.3

M130746

Memo

START TIME: _____

OVEN TEMPERATURE: _____

FINISH TIME: _____

0.00

PO 32331

0.10

2

MAY 10 2016

DAS
13
9-89

200

200

QC

Quality Control

QC3- Inspect Part Finish

Memo

0.00

0.02

(2)

MAY 10 2016

DAS
38
9-89

MAY 12 2016

*195
Packaging*

Receive + Inspect

2x 8/16 05/16

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐																																																											
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval																																																							
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval																																																							
Root Cause		FAULT CATEGORY																																																													
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐	Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐	Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐	Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐	Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐	Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐	Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐	Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐	LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐	Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐	Past Expiry Date ☐	Manufacturing Process ☐	OTHER :	
Misidentified ☐	Past Due ☐																																																														

144917

Wednesday, April 27, 2016 1:35:00 PM

N900040100

Setup Start *NS1*

Stop *NS2*

Cust Item ID:

Start Date: 4/28/2016 **Start Qty:** 2.00 ***2***

Required Date: 5/9/2016 Req'd Qty: 2.00 *~*

Customer:

Reference:

Run Start *NR1*

Approvals: **Process Plan:** _____ **Date:** _____ **Tooling:** _____ **Date:** _____

Stop *NR2*

QC: _____ **Date:** _____ **SPC (Y/N):** _____ **Date:** _____

Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
---------	--------	-----------	------------	------------	---------------	-------------

Identify as per dwg & Stock Location:

210

Packaging

Packaging

Memo

0.00

0.02

220

QC21- Final Inspection - Work Order Release

0.00

220

QC

Quality Control

Memo

0.20

MAY 12 2016

MAY 12 2016

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE



QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐																																																											
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval																																																							
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval																																																							
Root Cause		FAULT CATEGORY																																																													
Environment ☐	Design ☐	Doc/Data ☐	Equip/Tooling ☐	Handling/Pre ☐	Material ☐	Internal Transport ☐	Tribal Knowledge ☐	LOA ☐	Substation ☐	Past Expiry Date ☐	Misidentified ☐	No Re-verification ☐	Operator ☐	Offset/Setup ☐	Supplier ☐	Training ☐	Use for Testing ☐	Poor Information ☐	Rushing ☐	Product Improvement ☐	Process Improvement ☐	Manufacturing Process ☐	Past Due ☐	Pressure/Forced ☐	Bending ☐	Centre Not Concentric ☐	Cracks ☐	Crimp/Kink/Ripple/Wave ☐	Cuffs ☐	Crushing ☐	Heat Treat ☐	Wave/Twist in Tube ☐	Marks/Chatter ☐	Temperature/Cure ☐	Set-up ☐	BOM/Route ☐	Broken/Damage/Defect ☐	Inspection Incomplete/Unqualified ☐	Contamination ☐	Countersink ☐	Cut Too Short ☐	Instructions Incomplete/Unclear ☐	Drill Holes ☐	Power Loss/Surge ☐	Folio/Program ☐	Grain ☐	Weld ☐	Wrong Stock Pulled ☐	Out of Sequence ☐	Off-set ☐	Mislabeled ☐	Fit/Function ☐	Misaligned/off center ☐	Positioned Wrong ☐	Outside Dimensions ☐	Over/Under tolerance ☐	Part Incorrect ☐	Part Lost/Missing ☐	Part Moved ☐	Drawing ☐	Finish ☐	Misread ☐	Turning Sequence ☐
																								OTHER :																																							

Picklist Print

Page 1

Wednesday, April 27, 2016 1:35:08 PM

Work Order ID: 144917

144917

Parent Item: D3572-041

D3572-041

Parent Item Name: Guide

Start Date: 4/28/2016

Required Date: 5/9/2016

Start Qty: 2.00

Required Qty: 2.00

Comments: IPP Rev:A New Issue 07-02-07 JLM
IPP rev B revB dwg EC
IPP Rev:C Removed D3572-7 Cap 07-06-11 JLM
IPP Rev:D 08-05-27 Review process of IPP DD verified by:EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M6061T6T1.000W.188		Purchased				110	f	234.2848	2.34	4.926316			
M6061T6T1 000W 188									**			MAY 05 2016	
6061T6 RD TUBE 1.00 X .188W													

Location	Loc Qty	Loc Code
GA002	234.284798	
m126686	217.77765	
m128248	16.507148	

4.926316

D3572-3
Guide

D3572-3

Manufactured No

130 Each 7.0000 4 8

******EL 16-5-9

Location	Loc Qty	Loc Code
WA002	7	
130872	7	

7

D3572-5
Bracket

D3572-5

Manufactured No

130 Each 9.0000 1 2

******EL 16-5-9

Location	Loc Qty	Loc Code
WA002	9	
126344	9	

2

DQA: _____ Date: _____




WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____


Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐		AGAINST DEPARTMENT/PROCESS Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐																																																									
Date :		Step #:		QTY Effective :		MRB (QSI042) Approval																																																									
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval																																																							
Root Cause		FAULT CATEGORY																																																													
Environment ☐	Design ☐	Doc/Data ☐	Equip/Tooling ☐	Handling/Pre ☐	Material ☐	Internal Transport ☐	Tribal Knowledge ☐	LOA ☐	Substation ☐	Past Expiry Date ☐	Misidentified ☐	No Re-verification ☐	Operator ☐	Offset/Setup ☐	Supplier ☐	Training ☐	Use for Testing ☐	Poor Information ☐	Rushing ☐	Product Improvement ☐	Process Improvement ☐	Manufacturing Process ☐	Past Due ☐	Pressure/Forced ☐	Bending ☐	Centre Not Concentric ☐	Cracks ☐	Crimp/Kink/Ripple/Wave ☐	Cuffs ☐	Crushing ☐	Heat Treat ☐	Wave/Twist in Tube ☐	Marks/Chatter ☐	Temperature/Cure ☐	Set-up ☐	BOM/Route ☐	Broken/Damage/Defect ☐	Inspection Incomplete/Unqualified ☐	Contamination ☐	Countersink ☐	Cut Too Short ☐	Instructions Incomplete/Unclear ☐	Drill Holes ☐	Power Loss/Surge ☐	Folio/Program ☐	Grain ☐	Weld ☐	Wrong Stock Pulled ☐	Out of Sequence ☐	Off-set ☐	Mislabeled ☐	Fit/Function ☐	Misaligned/off center ☐	Positioned Wrong ☐	Outside Dimensions ☐	Over/Under tolerance ☐	Part Incorrect ☐	Part Lost/Missing ☐	Part Moved ☐	Drawing ☐	Finish ☐	Misread ☐	Turning Sequence ☐
																						OTHER : ☐																																									


ITEM No.	QTY -041	QTY -043	QTY -044	PART NUMBER	DESCRIPTION
1	X			D3572-041	GUIDE ASSEMBLY
2		X		D3572-043	GUIDE ASSEMBLY (UH-1)
3			X	D3572-044	GUIDE ASSEMBLY (UH-1) (OPP)
11	1	1	1	D3572-1	TUBE
12	4	4	4	D3572-3	GUIDE
13	1	3	3	D3572-5	BRACKET
14	-	-	-	D3572-7	DELETED AT REV C



D3572-041 GUIDE ASSEMBLY



D3572-043 GUIDE ASSEMBLY (UH-1)




D3572-044 GUIDE ASSEMBLY (UH-1)

RELEASED
09-04-25/17


- NOTES:
- 1) MATERIAL: NONE
 - 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
POWDER COAT GREY SANDEX (4.3.5.6) PER DART QSI 005 4.3
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3572-XXX" USING FINE POINT PERMANENT INK MARKER
 - 7) WEIGHT -041: 1.34 lbs
-043/-044: 1.42 lbs
 - 8) WELDING: PER DART QSI 004

D	REDRAWN IN "B" SIZE FORMAT TO CURRENT STANDARDS. ADD -043, -044 FOR UH-1. SEE PAR 09-017.	AJS	09.04.17
C	REMOVE D3572-7	LE	07.06.01
B	FOR D3573-3 0.03 CHMF WAS 0.06; ADD TYP TO FILLET	LE	07.04.20
A	NEW ISSUE	LE	07.03.29
REV.	DESCRIPTION	BY	DATE
DESIGN	LE	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AJS		
CHECKED	LE	DRAWING NO.	REV. D
MFG. APPR.	LE	D3572	SHEET 1 OF 4
APPROVED	LE	TITLE	SCALE
DE APPR.	LE	GUIDE ASSEMBLY	NTS
DATE	09.04.17	COPYRIGHT © 2007 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	


w/o 144917 2m 16/04/27



DESIGN	LE	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	A.S.		
CHECKED	<i>[Signature]</i>	DRAWING NO. D3572	REV. D
MFG. APPR.	<i>[Signature]</i>	SHEET 2 OF 4	
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	GUIDE ASSEMBLY	NTS
DATE	09.04.17	COPYRIGHT © 2007 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSES OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



SECTION E-E C5-3




RELEASED
09/04/17

D3572-1 NOTES:

- 1) MATERIAL: 6061-T6 (T62) ALUMINUM TUBE 1.00 OD X 0.188 WALL
PER WW-T-700/6 OR AMS 4080 OR AMS 4082 OR AMS-QQ-A-200/8 OR AMS-QQ-A-225/8
REF DART SPEC M6061T61.000W.188
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 1.25 lbs



DESIGN	LE	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AJS		
CHECKED	h	DRAWING NO. D3572	REV. D
MFG. APPR.	h	SHEET 3 OF 4	
APPROVED	h	TITLE	SCALE
DE APPR.	h	GUIDE ASSEMBLY	NTS
DATE	09.04.17	COPYRIGHT © 2007 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR REPRODUCED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

R0.50






D3572-5 BRACKET
(MAKE FROM D3572-5F)

2.35



D3572-3 GUIDE



D3572-5F FLAT PATTERN

RELEASED
9/10/18

D3572-3 NOTES:

1) MATERIAL: 6061-T6 (OR T651/T6510/T651/T62) ALUMINUM BAR
PER AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116) OR
AMS-QQ-A-200/8 (OR AMS4160)
REF DART SPEC M6061T6B

2) FINISH: N/A

3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED

4) UNITS: INCHES UNLESS OTHERWISE NOTED

5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX

6) IDENTIFICATION: N/A

7) WEIGHT: 0.01 lbs

D3572-5 NOTES:

1) MATERIAL: 6061-T6 (OR T62) ALUMINUM SHEET 0.080 THICK
PER AMS-QQ-A-250/11 OR AMS 4025 OR AMS 4027
REF DART SPEC M60601T6S.080

2) FINISH: N/A

3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED

4) UNITS: INCHES UNLESS OTHERWISE NOTED

5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX

6) IDENTIFICATION: N/A

7) WEIGHT: 0.04 lbs

DESIGN	LE	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AJS		
CHECKED		DRAWING NO. D3572	REV. D
MFG. APPR.			SHEET 4 OF 4
APPROVED		TITLE GUIDE ASSEMBLY	SCALE NTS
DE APPR.		COPYRIGHT © 2007 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSES OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	
DATE	09.04.17		



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO32331**

Purchase Order Date 5/10/2016

PO Print Date 5/11/2016

Page Number 3 of 3

Order From :

VC-ATG001

Ship To : DART AEROSPACE LTD

A.T.G. INDUSTRIES INC.
731 INDUSTRIELLE ROAD
ROCKLAND, ON K4K 1T2
CANADA

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name

Vendor Phone

613-446-4544

Ship To Contact

Ship To Phone

Ship Via:

Ship Acct:

VENDOR'S TRUCK

Buyer

Customer POID

Customer Tax #

Terms

Currency

FOB

Chantal Lavoie

10127-2607

Net 30

CAD

FCA - (Free Carrier)

144917

D3572-041 GUIDE ✓

5/12/2016

Yes

5/12/2016

2.00

\$14.00

\$28.00

Powder coat per QSI005

Line Total:

\$28.00

8

144831

D3196-1 BAR

5/12/2016

Yes

5/12/2016

6.00

\$18.00

\$108.00

Powder coat per QSI005

Line Total:

\$108.00

9

144949

D3204-041 RELEASE
PEDAL

5/12/2016

Yes

5/12/2016

1.00

\$20.00

\$20.00

Powder coat per QSI005

Line Total:

\$20.00

PO Total:

\$605.50

PO Instructions: PROCUREMENT QUALITY CLAUSES
A000 CLAUSES NOT REQUIRED

Note: Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Change Nbr:

2

Change Date:

5/11/2016

Generic Quote Calculator - quoted by: Roger L

Line	Part Number	Qty	Requirement 1	Unit Cost	Req 2	Unit Cost	Req 3
1	142768	14	powder coated	\$5.25		\$0.00	
2	142663	14	powder coated	\$9.00		\$0.00	
3	144623	12	powder coated	\$9.00		\$0.00	
4	144747	8	powder coated	\$9.00		\$0.00	
5	144749	10	powder coated	\$5.00		\$0.00	
6	143417	1	powder coated	\$20.00		\$0.00	
7	144917	2	powder coated	\$14.00		\$0.00	
8	144831	6	powder coated	\$18.00		\$0.00	
9	144949	1	powder coated	\$20.00		\$0.00	
10	Adminastration fee			\$125.00		\$0.00	
11						\$0.00	
12						\$0.00	
13						\$0.00	
14						\$0.00	
15				\$0.00		\$0.00	
16				\$0.00		\$0.00	
17				\$0.00		\$0.00	
18				\$0.00		\$0.00	
Repeat Job		YES	NO	Black Ano \$125	Color Ano \$150.00	Passivate	
Lot Charges		Paint \$185	Clear Ano \$125	Hard Ano \$175	Chem Film		
COMMENT							
P032331							
Pricing is based on lot charges when possible							
Anodize Pricing is based on how many parts can be processed per hour - when exceeding lot ch							
Painting Pricing is based on how many parts can be processed per hour - when exceeding lot ch							

JP/6-05-12

[illegible]

05/12